



Exposed part for Thermostatic One Box Valve X32_X10BT030



MODEL X10BT030

Exposed part for Thermostatic One Box Valve,wth 1-2-3 outlet deviastop,Minimum depth of installation: 67 mm,without concealed part - Inox AISI 316L,for items ZA00B030-ZA00B031

AVAILABLE FINISHINGS



D1

D1 Brushed Inox

CHARACTERISTICS

Cartridge Spare Parts	24.04A.PP
8x20 Plus P Thermostatic Valve	
Installation	Concealed
Required concealed parts	ZA00B031
ZA00B030	



The Cisal Devia Stop technology allows to adjust the water flow and to direct it to the selected output point (overhead soaker, hand shower, etc).

Ø185

Ø45.



Thermostatic

50-75

80


2

The Cisal thermostatic is your personal water manager, helping you to handle, control and save water and energy.





Exposed part for Thermostatic One Box Valve X32_X10BT030



X10BT030

https://en.cisal.it/exposed-part-for-thermostatic-one-box-valve-x32x10bt030



One Box Universal Concealed Part ONE BOX_ZA00B031



MODEL ZA00B031

One Box Universal Concealed Part, for 1,2 or 3 outlet thermostatic or single lever, without trim kit, with noise reducers, with sealing gasket


AVAILABLE FINISHINGS



04 04 Without finishing

CHARACTERISTICS

Concealed 1





Thermostatic

The Cisal thermostatic is your personal water manager, helping you to handle, control and save water and energy.





One Box Universal Concealed Part ONE BOX_ZA00B030



MODEL ZA00B030

One Box Universal Concealed Part, for 1,2 or 3 outlet thermostatic or single lever, without trim kit, without noise reducers, with sealing gasket


AVAILABLE FINISHINGS



04 04 Without finishing

CHARACTERISTICS

Concealed 1





Thermostatic

The Cisal thermostatic is your personal water manager, helping you to handle, control and save water and energy.



2024-05-16