## Exposed part for con.thermo.shower valve, 2-outlet NUANCE X32_X1018100

MODEL   **X1018100**

Exposed part for con.thermo.shower valve,
2-outlet,with 2 outlet deviastop,without concealed
part,for item ZA018101,Inox AISI 316L

AVAILABLE FINISHINGS

D1   D1 Brushed Inox

5H   5H Dark Brass Brushed

5L   5L Brushed Black Titanium

5N   5N Brushed Rose Gold

CHARACTERISTICS

|	
Installation	**Concealed**
Required concealed parts	**ZA018101**

Ø185
Ø44
50-75
2
70

Thermostatic

The Cisal thermostatic is your
personal water manager, helping you
to handle, control and save water and
energy.

Exposed part for con.thermo.shower valve, 2-outlet NUANCE X32_X1018100

ZZ940630
ZZ933710
ZZ9A4010
ZZ9D8450
ZZ9D8460
ZZ940630
ZZ933710
ZZ9A4010
05.LI.03FV.RR
05.RA.23
ZZ9D8480
ZZ9A4000
ZZ9D8470
ZZ9D8540

X1018100   https://en.cisal.it/exposed-part-for-con-thermo-shower-valve-2-outlet-nuance-x32-x1018100

Concealed thermostatic shower valve, 2-outlets CONCEALED_ZA018101

MODEL   **ZA018101**

Concealed thermostatic shower valve, 2-outlets,with 1/2" 2 outlet deviastop cartridge,without trim kit

AVAILABLE FINISHINGS

04   04 Without finishing

CHARACTERISTICS

Concealed	**1**
Cartridge Spare Parts	**24.04A.PP**

8x20 Plus P Thermostatic Valve

G 1/2"   G 1/2"
G 1/2"   G 1/2"
150
32
129   70
40
X X
Y Y

Piastra/Plate/Plaque/Platte/Placa
2-3mm: XX 25-40   YY 76-91
10 mm: XX 16-31   YY 65-80

DeviaStop

The Cisal Devia Stop technology allows to adjust the water flow and to direct it to the selected output point (overhead soaker, hand shower, etc).

Thermostatic

The Cisal thermostatic is your personal water manager, helping you to handle, control and save water and energy.

2026-01-11