


Exposed part for Thermostatic One Box Valve HI-RISE_RI0BT030



MODEL

RI0BT030


Exposed part for Thermostatic One Box Valve, with 1-2-3 outlet deviator, Minimum depth of installation: 67 mm, without concealed part, for items ZA00B030-ZA00B031

AVAILABLE FINISHINGS

- | | | |
|---|-----------|------------------------------|
|  | 21 | 21 Chrome |
|  | 24 | 24 Gold |
|  | 2F | 2F Brushed Nickel |
|  | 2W | 2W Brushed Gold |
|  | 40 | 40 Matt Black |
|  | 4Q | 4Q Matt White |
|  | 5G | 5G Rose Gold |
|  | 6V | 6V Matt White/Brushed Nickel |
|  | 6X | 6X Matt White/Brushed Gold |
|  | 7W | 7W Matt Black/Brushed Gold |

CHARACTERISTICS

Cartridge Spare Parts **24.04A.PP**
8x20 Plus P Thermostatic Valve

Installation **Concealed**


Required concealed parts **ZA00B031**

ZA00B030



DeviaStop

The Cisal Devia Stop technology allows to adjust the water flow and to direct it to the selected output point (overhead soaker, hand shower, etc).



Thermostatic

The Cisal thermostatic is your personal water manager, helping you to handle, control and save water and energy.



One Box Universal Concealed Part ONE BOX_ZA00B031

MODEL **ZA00B031**

One Box Universal Concealed Part, for 1, 2 or 3 outlet thermostatic or single lever, without trim kit, with noise reducers, with sealing gasket


AVAILABLE FINISHINGS



04 04 Without finishing

CHARACTERISTICS

Concealed **1**



Thermostatic

The Cisal thermostatic is your personal water manager, helping you to handle, control and save water and energy.



One Box Universal Concealed Part ONE BOX_ZA00B030



MODEL **ZA00B030**

One Box Universal Concealed Part, for 1, 2 or 3 outlet thermostatic or single lever, without trim kit, without noise reducers, with sealing gasket


AVAILABLE FINISHINGS



04 04 Without finishing

CHARACTERISTICS

Concealed **1**



Thermostatic

The Cisal thermostatic is your personal water manager, helping you to handle, control and save water and energy.



2026-01-12