

Exposed part for Thermostatic One Box Valve SMOOTH X32_X30BT030



MODEL

X30BT030

Exposed part for Thermostatic One Box Valve, with 1-2-3 outlet deviastop - with smooth handles, Minimum depth of installation: 67 mm, without concealed part - Inox AISI 316L, for items ZA00B030-ZA00B031

AVAILABLE FINISHINGS



D1 D1 Brushed Inox



5H 5H Dark Brass Brushed



5L 5L Brushed Black Titanium



5N 5N Brushed Rose Gold

CHARACTERISTICS


Cartridge Spare Parts **24.04A.PP**

8x20 Plus P Thermostatic Valve

Installation **Concealed**

Required concealed parts **ZA00B031**

ZA00B030



DeviaStop

The Cisal Devia Stop technology allows to adjust the water flow and to direct it to the selected output point (overhead soaker, hand shower, etc.).




Thermostatic

The Cisal thermostatic is your personal water manager, helping you to handle, control and save water and energy.



Exposed part for Thermostatic One Box Valve SMOOTH X32_X30BT030



X30BT030

<https://en.cisal.it/exposed-part-for-thermostatic-one-box-valve-smooth-x32-x30bt030>

One Box Universal Concealed Part ONE BOX_ZA00B031



MODEL

ZA00B031


One Box Universal Concealed Part,for 1,2 or 3 outlet
thermostatic or single lever,without trim kit,with noise
reducers,with sealing gasket

AVAILABLE FINISHINGS

**04** 04 Without finishing

CHARACTERISTICS

Concealed

1

Thermostatic

The Cisal thermostatic is your personal water manager, helping you to handle, control and save water and energy.



One Box Universal Concealed Part ONE BOX_ZA00B030



MODEL

ZA00B030


One Box Universal Concealed Part,for 1,2 or 3 outlet
thermostatic or single lever,without trim kit,without
noise reducers,with sealing gasket

AVAILABLE FINISHINGS

**04** 04 Without finishing

CHARACTERISTICS

Concealed

1

Thermostatic

The Cisal thermostatic is your personal water manager, helping you to handle, control and save water and energy.



2026-02-03