

Exposed part for Thermostatic One Box Valve ONE BOX_AC0BT030


MODEL

AC0BT030

Exposed part for Thermostatic One Box Valve, with 1-2-3 outlet deviator, Minimum depth of installation: 67 mm, without concealed part, for items ZA00B030-ZA00B031

AVAILABLE FINISHINGS

- | | | |
|---|-----------|-------------------------|
|  | 21 | 21 Chrome |
|  | 24 | 24 Gold |
|  | 26 | 26 Old Copper |
|  | 27 | 27 Old Bronze |
|  | 2A | 2A Satin Brushed Nickel |
|  | 74 | 74 Chrome/Gold |



CHARACTERISTICS

 Cartridge Spare Parts **24.04A.PP**
8x20 Plus P Thermostatic Valve

 Installation **Concealed**


 Required concealed parts **ZA00B031**
ZA00B030


Thermostatic

The Cisal thermostatic is your personal water manager, helping you to handle, control and save water and energy.



Exposed part for Thermostatic One Box Valve ONE BOX_AC0BT030



AC0BT030

<https://en.cisal.it/exposed-part-for-thermostatic-one-box-valve-one-box-ac0bt030>

One Box Universal Concealed Part ONE BOX_ZA00B031

MODEL **ZA00B031**

One Box Universal Concealed Part, for 1, 2 or 3 outlet thermostatic or single lever, without trim kit, with noise reducers, with sealing gasket

AVAILABLE FINISHINGS



04 04 Without finishing

CHARACTERISTICS

Concealed **1**



Thermostatic

The Cisal thermostatic is your personal water manager, helping you to handle, control and save water and energy.



One Box Universal Concealed Part ONE BOX_ZA00B030



MODEL **ZA00B030**

One Box Universal Concealed Part, for 1, 2 or 3 outlet thermostatic or single lever, without trim kit, without noise reducers, with sealing gasket


AVAILABLE FINISHINGS



04 04 Without finishing

CHARACTERISTICS

Concealed **1**



Thermostatic

The Cisal thermostatic is your personal water manager, helping you to handle, control and save water and energy.



2026-06-14